

GC Application

ID No.: 16230

Bergamot Oil on ZB-1

Column: Zebron[™] ZB-1, GC Cap. Column 30 m x 0.25 mm x 0.25 µm, Ea
Phase: 100% Dimethylpolysiloxane
Dimensions: 30 meters x 0.25 mm x 0.25 µm
Order No: 7HG-G001-11
Oven Profile: 60 °C for 6 min to 80 °C at 5 °C/min to 180 °C at 15 °C/min for 3 min


Carrier Gas: Constant Flow Helium, 1.5 mL/min
Injection: On-Column :1 0.1 µL @ 63°C
Detection: Mass Selective (MSD) (240°C)
Analyst Note: The solution analyzed was 1000ppm Bergamot oil in Ethyl acetate



Products used in this application:



16230



Bergamot Oil on ZB-1

ANALYTES:

- 1 α -Thujene
- 2 α -Pinene
- 3 Sabinene
- 4 β -Pinene
- 5 β -Myrcene
- 6 p-Cymene
- 7 Limonene
- 8 γ -Terpinene
- 9 Linalool acetate
- 10 Linalyl acetate
- 11 Neryl acetate
- 12 Geranyl acetate
- 13 β -Caryophyllene
- 14 α -Bergamotene
- 15 β -Bisabolene

